



Published on *CD-adapco* (<http://www.cd-adapco.com>)

[Home](#) > A validation study of lithium-ion cell constant c-rate discharge simulation with Battery Design Studio

A validation study of lithium-ion cell constant c-rate discharge simulation with Battery Design Studio

International Journal of **Energy Research**



INTERNATIONAL JOURNAL OF ENERGY RESEARCH

Int. J. Energy Res. (2012)

Published online in Wiley Online Library (wileyonlinelibrary.com). DOI: 10.1002/er.2999

TECHNICAL NOTE

A validation study of lithium-ion cell constant c-rate discharge simulation with Battery Design Studio[®]

Apurba Sakti^{1,*†}, Jeremy J. Michalek^{1,2}, Sang-Eun Chun³ and Jay F. Whitacre^{1,3}

¹Department of Engineering and Public Policy, Carnegie Mellon University, Pittsburgh, PA 15213

²Department of Mechanical Engineering, Carnegie Mellon University, Pittsburgh, PA 15213

³Department of Materials Science and Engineering, Carnegie Mellon University, Pittsburgh, PA 15213

Publisher:

Wiley Online Library

Date:

Tuesday, November 6, 2012

[Order online - A validation study of lithium-ion cell constant c-rate discharge simulation with Battery Design Studio](#) [1]

Abstract:

We compare battery performance simulations from a commercial lithium-ion battery modeling software package against manufacturer performance specifications and laboratory tests to assess model validity. A set of commercially manufactured spiral wound lithium-ion cells were electrochemically tested and then disassembled and physically characterized. The Battery Design Studio[®] (BDS) software was then used to create a mathematical model of each battery, and discharge simulations at constant C-rates ranging from C/5 to 2C were compared against laboratory tests and manufacturer performance specifications. Results indicate that BDS predictions of total energy delivered under our constant C-rate battery discharge tests are within 6.5% of laboratory measurements for a full discharge and within 2.8% when a 60% state of charge window is considered. Average discrepancy is substantially lower. In all cases, the discrepancy in simulated vs. manufacturer specifications or laboratory results of energy and capacity delivered was comparable to the discrepancy between manufacturer specifications and laboratory results. Results suggest that BDS can provide sufficient accuracy in discharge performance simulations for many applications. Copyright © 2012 John Wiley & Sons, Ltd.

Author Name:

Apurba Sakti
Jeremy J. Michalek
Sang-Eun Chun
Jay F. Whitcare

Author Company:

Carnegie Mellon University, Pittsburgh

Products:

Battery Design Studio[®]^[2]

Industries:

Batteries^[3]

CD-adapco is the world's largest independent CFD focused provider of engineering simulation software, support and services. We have over 30 years of experience in delivering industrial strength engineering simulation.

Source URL: http://www.cd-adapco.com/technical_document/validation-study-lithium-ion-cell-constant-c-rate-discharge-simulation-battery?page=0%2C1

Links:

- [1] <http://onlinelibrary.wiley.com/doi/10.1002/er.2999/abstract>
[2] <http://www.cd-adapco.com/products/battery-design-studio%C2%AE>
[3] <http://www.cd-adapco.com/industries/batteries>